



**NORLAN UNITED
PREMIX SDN. BHD.**



**NORLAN UNITED
PREMIX SDN BHD**

**ASPHALT
MIXING
PLANT**

Headquarters :
No.4, Tingkat SATU, WISMA ARMON,
Jalan Kamaruddin, 20400 Kuala
Terengganu,
Terengganu, Malaysia.
Email : ahtnucsb@gmail.com

Site Plant :
Lot PT 29667,
Kawasan Perindustrian Batu Rakit,
21030 Kuala Nerus,
Terengganu Darul Iman
Email : norlanpremix@gmail.com



NORLAN UNITED PREMIX SDN BHD

Content	Page
About	3
Team	4
Organisation Chart	5
Process Flow Chart	6
Certificate for Calibration for Digimatic Indicator	7
Certificate for Calibration for Hybrid Recorder	7
Certificate for Calibration for Providing Ring 50 KN	7
Certificate for Calibration for Digital Thermometer	7
Certificate for Calibration for Hybrid Recorder	8
Certificate for Calibration for Micrometer Head	8
Certificate for Calibration for Pressure Indicator	8
Certificate for Calibration for Thermometer With Thermocouple	8
Certificate for Calibration for Thermometer With Thermocouple	9
Certificate for Calibration for Thermometer With Thermocouple	9
Certificate for Calibration for Standart Weight	9
Certificate for Calibration for Standart Weight	9
Certificate for Calibration for Calibration Ring	10
JKR Certificate for Kualiti Industri Penurapan Jalan	10
JKR Certificate for Kualiti Penurapan Jalan	10
JKR Certificate for Kualiti Penurapan Jalan	10
List Of Machineries	11
Gallery	16

**SAFETY STARTS WITH “S” (SELF),
SAFETY ENDS WITH “Y”(YOU)**



NORLAN UNITED PREMIX SDN BHD

Incorporated on 10th January 2021. Norlan United Premix Sdn Bhd is a subsidiary of AHT (Norlan United) & Carriage Sdn Bhd. Our main activity are focusing on Ready Mixed Concrete, Asphalt Plant and others.

The company's premix plants are located at Lembah Bidong, Setiu and we mostly supplied to Kemaman, Dungun, Hulu Terengganu, Marang, Kuala Terengganu, Kuala Nerus, Setiu and Besut, also Jabatan Kerja Raya and others government agencies projects. Asphalt is primarily used in road construction which consists of aggregate, bitumen and fines. With new technologies and civil engineering standards, the company's equipment on hand is able to do asphalt mixture preparation, final testing of strength and flow, and bitumen testing for the successful completion of projects.

Our Vision

Our vision is to perform high quality work, to be a role model in the sector and to perform as a reliable contractor in the industry of Road Construction, Asphalt, Aggregate and Concrete Production Industry.

Our Mission

Our mission is to construct secure and comfortable roads which can be used safely exceeding the expected life of the product and to produce the best quality aggregate, concrete and asphalt in the industry.

Philosophy

We are the leading company in our region with the best team knowledge and experience in the industry keeping job safety as priority never compromising quality, keeping up to date with developments and scientific studies in the industry.

We work with a high team spirit and consider customer satisfaction highest priority.

We are respectful to the environment and conform to sustainable quality and environmental requirements.



TEAM

Norlan United Premix Sdn Bhd is operated by a team of well trained and experience staffs lead by Tn Hj Wan Khairuddin Bin Hj Wan Noh with extensive knowledge about premix product.



Tn Hj Wan Khairuddin Bin Hj Wan Noh
MANAGING DIRECTOR



En Johari Bin Ismail
FINANCIAL MANAGER



Pn Rohayu Bt Usop
EXECUTIVE DIRECTOR



Hayati Binti Omar
COMMERCIAL &
ADMINISTRATION MANAGER




Muhammad Faris Bin Abdul Muluk
HUMAN RESOURCES MANAGER

Mohd Faliheen Bin Sapiin
PLANT & SALES MANAGER




ORGANISATION CHART





MANUFACTURING PROCESS FLOW CHART



CALIBRATION FOR DIGIMATIC INDICATOR

QC TECH SERVICES (SA0237839-W)
NO 23-G, JALAN UTARID C US/C, SEKSYEN US, 40150 SHAH ALAM, SELANGOR.

CERTIFICATE OF CALIBRATION

CERTIFICATE NUMBER QC - 2769 - 21

CALIBRATION DATE 29 JULY 2021 CALIBRATION DUE DATE 29 JULY 2022

DATE OF ISSUE 31 JULY 2021

COMPANY NAME & ADDRESS
NORLAN UNITED PREMIX SDN. BHD.
LOT PT 29667, KAWASAN PERINDUSTRIAN,
BATU RAKIT, 21010 KUALA NERUS,
TERENGGANU.

CALIBRATION VENUE KUALA TERENGGANU

DETAIL OF INSTRUMENTS

DISCRIPTION	DIAL GAUGE	CALIBRATION RANGE	0 TO 24 mm
MANUFACTURER	N/A	SERIAL NUMBER	145347
MODEL	N/A	TYPE OF EQUIPMENT	ANALOGUE
FULL RANGE	25 mm	ADJUSTMENT	NO
RESOLUTION	0.01 mm	ENVIRONMENTAL INFORMATION	
READABILITY	0.005 mm	TEMPERATURE	30.3 °C HUMIDITY 51 %R.H.

CALIBRATION METHOD
THIS INSTRUMENT WAS CALIBRATED USING INTERNAL CALIBRATION PROCEDURE FOR DIAL GAUGE INDICATOR WITH REFERENCE EQUIPMENT TRACEABILITY INTERNATIONAL STANDART.

REFERENCE EQUIPMENT DETAIL

EQUIPMENT USED	CALIBRATION DATE	DUE DATE	TRACEABILITY
DIGIMATIC INDICATOR (SST/SA/R/2021E/754)	18 MAY 2021	18 MAY 2022	SIRIM SST

QC TECH SERVICES TESTING EQUIPMENT FOR THE CONSTRUCTION INDUSTRY

PAGE 1 OF 2

CALIBRATION FOR HYBRID RECORDER

QC TECH SERVICES (SA0237839-W)
NO 23-G, JALAN UTARID C US/C, SEKSYEN US, 40150 SHAH ALAM, SELANGOR.

CERTIFICATE OF CALIBRATION

CERTIFICATE NUMBER QC - 2765 - 21

CALIBRATION DATE 29 JULY 2021 CALIBRATION DUE DATE 29 JULY 2022

DATE OF ISSUE 31 JULY 2021

COMPANY NAME & ADDRESS
NORLAN UNITED PREMIX SDN. BHD.
LOT PT 29667, KAWASAN PERINDUSTRIAN,
BATU RAKIT, 21010 KUALA NERUS,
TERENGGANU.

CALIBRATION VENUE KUALA TERENGGANU

DETAIL OF INSTRUMENTS

DISCRIPTION	OVEN	CALIBRATION RANGE	150 °C
MANUFACTURER	QC TECH	SERIAL NUMBER	N/A
MODEL	150 LITRE	TYPE OF EQUIPMENT	DIGITAL
FULL RANGE	30 °C TO 200 °C	ENVIRONMENTAL INFORMATION	
RESOLUTION	1 °C	TEMPERATURE	30.1 °C HUMIDITY 51 %R.H.
READABILITY	1 °C		

CALIBRATION METHOD
THIS INSTRUMENT WAS CALIBRATED USING THE INTERNAL CALIBRATION PROCEDURE TO BS 1881 : PART 202 : 1986

REFERENCE EQUIPMENT DETAIL

EQUIPMENT USED	CALIBRATION DATE	DUE DATE	TRACEABILITY
HYBRID RECORDER (SST/SA/R/2021E/413)	07 MAY 2021	07 MAY 2022	SIRIM SIME (SST)

QC TECH SERVICES TESTING EQUIPMENT FOR THE CONSTRUCTION INDUSTRY

PAGE 1 OF 2

CALIBRATION FOR PROVIDING RING 50 KN

QC TECH SERVICES (SA0237839-W)
NO 23-G, JALAN UTARID C US/C, SEKSYEN US, 40150 SHAH ALAM, SELANGOR.

CERTIFICATE OF CALIBRATION

CERTIFICATE NUMBER QC - 2767 - 21

CALIBRATION DATE 29 JULY 2021 CALIBRATION DUE DATE 29 JULY 2022

DATE OF ISSUE 31 JULY 2021

COMPANY NAME & ADDRESS
NORLAN UNITED PREMIX SDN. BHD.
LOT PT 29667, KAWASAN PERINDUSTRIAN,
BATU RAKIT, 21010 KUALA NERUS,
TERENGGANU.

CALIBRATION VENUE KUALA TERENGGANU

DETAIL OF INSTRUMENTS

DISCRIPTION	PROVING RING	CALIBRATION RANGE	0 TO 30 KN
MANUFACTURER	KENCO	SERIAL NUMBER	30159
MODEL	N/A	GAUGE NUMBER	94823
FULL RANGE	30 KN	TYPE OF EQUIPMENT	ANALOGUE
RESOLUTION	1 DIV	ENVIRONMENTAL INFORMATION	
READABILITY	0.5 DIV	TEMPERATURE	30.2 °C HUMIDITY 51 %R.H.

CALIBRATION METHOD
THIS INSTRUMENT WAS CALIBRATED USING THE INTERNAL CALIBRATION PROCEDURE TO BS 1881 : PART 202 : 1986

REFERENCE EQUIPMENT DETAIL

EQUIPMENT USED	CALIBRATION DATE	DUE DATE	TRACEABILITY
PROVING RING 50 KN (SST/SA/R/2021E/380)	07 MAY 2021	07 MAY 2022	SIRIM (SST)

QC TECH SERVICES TESTING EQUIPMENT FOR THE CONSTRUCTION INDUSTRY

PAGE 1 OF 2

CALIBRATION FOR DIGITAL THERMOMETER

QC TECH SERVICES (SA0237839-W)
NO 23-G, JALAN UTARID C US/C, SEKSYEN US, 40150 SHAH ALAM, SELANGOR.

CERTIFICATE OF CALIBRATION

CERTIFICATE NUMBER QC - 2772 - 21

CALIBRATION DATE 29 JULY 2021 CALIBRATION DUE DATE 29 JULY 2022

DATE OF ISSUE 31 JULY 2021

COMPANY NAME & ADDRESS
NORLAN UNITED PREMIX SDN. BHD.
LOT PT 29667, KAWASAN PERINDUSTRIAN,
BATU RAKIT, 21010 KUALA NERUS,
TERENGGANU.

CALIBRATION VENUE KUALA TERENGGANU

DETAIL OF INSTRUMENTS

DISCRIPTION	THERMOMETER	CALIBRATION RANGE	30 °C TO 180 °C
MANUFACTURER	TEL TRU	SERIAL NUMBER	N/A
MODEL	N/A	TYPE OF EQUIPMENT	ANALOGUE
FULL RANGE	250 °C	ENVIRONMENTAL INFORMATION	
RESOLUTION	2 °C	TEMPERATURE	30.3 °C HUMIDITY 52 %R.H.
READABILITY	1 °C		

CALIBRATION METHOD
THIS INSTRUMENT WAS CALIBRATED USING THE REFERENCE JIS C1602 (1995) FOR THERMOCOUPLES AND JIS C1606 (1989) FOR METAL SHEATED RESISTANCE THERMOMETER, SENSOR.

REFERENCE EQUIPMENT DETAIL

EQUIPMENT USED	CALIBRATION DATE	DUE DATE	TRACEABILITY
DIGITAL THERMOMETER (SST/SA/R/2021E/501)	07 MAY 2021	07 MAY 2022	SIRIM SIME (SST)

QC TECH SERVICES TESTING EQUIPMENT FOR THE CONSTRUCTION INDUSTRY

PAGE 1 OF 2

CALIBRATION FOR HYBRID RECORDER

QC TECH SERVICES (SA0237839-W)
NO 23-G, JALAN UTARID C US/C, SEKSYEN US, 40150 SHAH ALAM, SELANGOR.

CERTIFICATE OF CALIBRATION

CERTIFICATE NUMBER QC - 2766 - 21

CALIBRATION DATE 29 JULY 2021 CALIBRATION DUE DATE 29 JULY 2022

DATE OF ISSUE 31 JULY 2021

COMPANY NAME & ADDRESS
NORLAN UNITED PREMIX SDN. BHD.
LOT PT 29667, KAWASAN PERINDUSTRIAN,
BATU RAKIT, 21010 KUALA NERUS,
TERENGGANU.

CALIBRATION VENUE KUALA TERENGGANU

DETAIL OF INSTRUMENTS

DISCRIPTION	WATERBATH	CALIBRATION RANGE	60°C
MANUFACTURER	QC TECH	SERIAL NUMBER	1610001
MODEL	Q-23 LITRE	TYPE OF EQUIPMENT	DIGITAL
FULL RANGE	30°C TO 100°C		
RESOLUTION	0.1 °C		
READABILITY	0.1 °C		

ENVIRONMENTAL INFORMATION

TEMPERATURE	30.2°C	HUMIDITY	52 %R.H.
-------------	--------	----------	----------

CALIBRATION METHOD
THIS INSTRUMENT WAS CALIBRATED USING THE INTERNAL CALIBRATION PROCEDURE TO BS 1881 - PART 202 - 1986

REFERENCE EQUIPMENT DETAIL

EQUIPMENT USED	CALIBRATION DATE	DUE DATE	TRACEABILITY
HYBRID RECORDER (SST/SA/R/2021E/413)	07 MAY 2021	07 MAY 2022	SIRIM SIME (SST)

QC TECH SERVICES TESTING EQUIPMENT FOR THE CONSTRUCTION INDUSTRY

PAGE 1 OF 2

CALIBRATION FOR MICROMETER HEAD

QC TECH SERVICES (SA0237839-W)
NO 23-G, JALAN UTARID C US/C, SEKSYEN US, 40150 SHAH ALAM, SELANGOR.

CERTIFICATE OF CALIBRATION

CERTIFICATE NUMBER QC - 3123 - 22

CALIBRATION DATE 07 MARCH 2022 CALIBRATION DUE DATE 07 MARCH 2023

DATE OF ISSUE 08 MARCH 2022

COMPANY NAME & ADDRESS
NORLAN UNITED PREMIX SDN. BHD.
LOT PT 29667, KAWASAN PERINDUSTRIAN,
BATU RAKIT, 21010 KUALA NERUS,
TERENGGANU.

CALIBRATION VENUE QC TECH LAB

DETAIL OF INSTRUMENTS

DISCRIPTION	PENETROMETER	CALIBRATION RANGE	0 TO 35 mm
MANUFACTURER	QC TECH	SERIAL NUMBER	207
MODEL	N/A	TYPE OF EQUIPMENT	ANALOGUE
FULL RANGE	40 mm	ADJUSTMENT	NO
RESOLUTION	0.01 mm		
READABILITY	0.01 mm		

ENVIRONMENTAL INFORMATION

TEMPERATURE	26.0°C	HUMIDITY	48 %R.H.
-------------	--------	----------	----------

CALIBRATION METHOD
THIS INSTRUMENT WAS CALIBRATED USING INTERNAL CALIBRATION PROCEDURE FOR DIAL GAUGE INDICATOR WITH REFERENCE EQUIPMENT TRACEABILITY INTERNATIONAL STANDART.

REFERENCE EQUIPMENT DETAIL

EQUIPMENT USED	CALIBRATION DATE	DUE DATE	TRACEABILITY
MICROMETER HEAD (SM21962648)	07 DEC 2021	07 DEC 2022	SENDI MAHIR (SMSB)

QC TECH SERVICES TESTING EQUIPMENT FOR THE CONSTRUCTION INDUSTRY

PAGE 1 OF 2

CALIBRATION FOR PRESSURE INDICATOR

QC TECH SERVICES (SA0237839-W)
NO 23-G, JALAN UTARID C US/C, SEKSYEN US, 40150 SHAH ALAM, SELANGOR.

CERTIFICATE OF CALIBRATION

CERTIFICATE NUMBER QC - 3181 - 22

CALIBRATION DATE 19 APRIL 2022 CALIBRATION DUE DATE 19 APRIL 2023

DATE OF ISSUE 19 APRIL 2022

COMPANY NAME & ADDRESS
NORLAN UNITED PREMIX SDN. BHD.
LOT PT 29667, KAWASAN PERINDUSTRIAN,
BATU RAKIT, 21010 KUALA NERUS,
TERENGGANU.

CALIBRATION VENUE KUALA TERENGGANU

DETAIL OF INSTRUMENTS

DISCRIPTION	SPEEDY MOISTURE TESTER	CALIBRATION RANGE	0 TO 18 %H2O
MANUFACTURER	QC TECH	SERIAL NUMBER	30322
MODEL	N/A	GAUGE NUMBER	12849556
FULL RANGE	20 %H2O	TYPE OF EQUIPMENT	ANALOGUE
RESOLUTION	0.2 %H2O		
READABILITY	0.1 %H2O		

ENVIRONMENTAL INFORMATION

TEMPERATURE	26.2 °C	HUMIDITY	52 %R.H.
-------------	---------	----------	----------

CALIBRATION METHOD
THIS INSTRUMENT WAS CALIBRATED USING THE INTERNAL CALIBRATION PROCEDURE TO BS 1881 - PART 202 - 1986

REFERENCE EQUIPMENT DETAIL

EQUIPMENT USED	CALIBRATION DATE	DUE DATE	TRACEABILITY
PRESSURE INDICATOR (SM21962643)	07 DEC 2021	07 DEC 2022	SENDI MAHIR (SMSB)

QC TECH SERVICES TESTING EQUIPMENT FOR THE CONSTRUCTION INDUSTRY

PAGE 1 OF 2

CALIBRATION FOR THERMOMETER WITH THERMOCOUPLE

QC TECH SERVICES (SA0237839-W)
NO 23-G, JALAN UTARID C US/C, SEKSYEN US, 40150 SHAH ALAM, SELANGOR.

CERTIFICATE OF CALIBRATION

CERTIFICATE NUMBER QC - 3125 - 22

CALIBRATION DATE 07 MARCH 2022 CALIBRATION DUE DATE 07 MARCH 2023

DATE OF ISSUE 08 MARCH 2022

COMPANY NAME & ADDRESS
NORLAN UNITED PREMIX SDN. BHD.
LOT PT 29667, KAWASAN PERINDUSTRIAN,
BATU RAKIT, 21010 KUALA NERUS,
TERENGGANU.

CALIBRATION VENUE QC TECH LAB

DETAIL OF INSTRUMENTS

DISCRIPTION	THERMOMETER	CALIBRATION RANGE	30°C TO 100°C
MANUFACTURER	IMM	SERIAL NUMBER	N/A
MODEL	76MM	TYPE OF EQUIPMENT	ANALOGUE
FULL RANGE	110 °C		
RESOLUTION	1 °C		
READABILITY	0.5 °C		

ENVIRONMENTAL INFORMATION

TEMPERATURE	26.2 °C	HUMIDITY	48 %R.H.
-------------	---------	----------	----------

CALIBRATION METHOD
THIS INSTRUMENT WAS CALIBRATED USING THE REFERENCE JIS C1602 (1995) FOR THERMOCOUPLES AND JIS C1606 (1989) FOR METAL SHEATED RESISTANCE THERMOMETER, SENSOR.

REFERENCE EQUIPMENT DETAIL

EQUIPMENT USED	CALIBRATION DATE	DUE DATE	TRACEABILITY
THERMOMETER WITH THERMOCOUPLE (SM21962647)	03 DEC 2021	03 DEC 2022	SENDI MAHIR (SMSB)

QC TECH SERVICES TESTING EQUIPMENT FOR THE CONSTRUCTION INDUSTRY

PAGE 1 OF 2

CALIBRATION FOR THERMOMETER WITH THERMOCOUPLE

QC TECH SERVICES (SA0237839-W)
NO 23-G, JALAN UTARID C US/C, SEKSYEN US, 40150 SHAH ALAM, SELANGOR.

CERTIFICATE OF CALIBRATION

CERTIFICATE NUMBER: QC - 3124 - 22
CALIBRATION DATE: 07 MARCH 2022
DATE OF ISSUE: 08 MARCH 2022
CALIBRATION DUE DATE: 07 MARCH 2023

COMPANY NAME & ADDRESS
NORLAN UNITED PREMIX SDN. BHD.
LOT PT 29667, KAWASAN PERINDUSTRIAN,
BATU RAKIT, 21010 KUALA NERUS,
TERENGGANU.

CALIBRATION VENUE: QC TECH LAB
CALIBRATE BY: MOHD FAIRUZ

DETAIL OF INSTRUMENTS

DISCRIPTION	THERMOMETER	CALIBRATION RANGE	30 °C TO 200 °C
MANUFACTURER	ISM	SERIAL NUMBER	N/A
MODEL	76MM	TYPE OF EQUIPMENT	ANALOGUE
FULL RANGE	360 °C	ENVIRONMENTAL INFORMATION	
RESOLUTION	2 °C	TEMPERATURE	26.2 °C HUMIDITY 48 %R.H.
READABILITY	1 °C		

CALIBRATION METHOD
THIS INSTRUMENT WAS CALIBRATED USING THE REFERENCE JIS C1602 (1995) FOR THERMOCOUPLES AND JIS C1606 (1989) FOR METAL SHEATED RESISTANCE THERMOMETER, SENSOR.

REFERENCE EQUIPMENT DETAIL

EQUIPMENT USED	CALIBRATION DATE	DUE DATE	TRACEABILITY
THERMOMETER WITH THERMOCOUPLE (SM21962547)	03 DEC 2021	03 DEC 2022	SENDA MAHIR (SMSB)

QC TECH SERVICES TESTING EQUIPMENT FOR THE CONSTRUCTION INDUSTRY PAGE 1 OF 2

CALIBRATION FOR THERMOMETER WITH THERMOCOUPLE

QC TECH SERVICES (SA0237839-W)
NO 23-G, JALAN UTARID C US/C, SEKSYEN US, 40150 SHAH ALAM, SELANGOR.

CERTIFICATE OF CALIBRATION

CERTIFICATE NUMBER: QC - 3158 - 22
CALIBRATION DATE: 21 MARCH 2022
DATE OF ISSUE: 21 MARCH 2022
CALIBRATION DUE DATE: 21 MARCH 2023

COMPANY NAME & ADDRESS
NORLAN UNITED PREMIX SDN. BHD.
LOT PT 29667, KAWASAN PERINDUSTRIAN,
BATU RAKIT, 21010 KUALA NERUS,
TERENGGANU.

CALIBRATION VENUE: QC TECH LAB
CALIBRATE BY: MOHD FAIRUZ

DETAIL OF INSTRUMENTS

DISCRIPTION	THERMOMETER	CALIBRATION RANGE	30 °C TO 200 °C
MANUFACTURER	ETI	SERIAL NUMBER	D20410768
MODEL	CATERTEMP	TYPE OF EQUIPMENT	DIGITAL
FULL RANGE	300 °C	ENVIRONMENTAL INFORMATION	
RESOLUTION	0.1 °C	TEMPERATURE	26.1 °C HUMIDITY 49 %R.H.
READABILITY	0.1 °C		

CALIBRATION METHOD
THIS INSTRUMENT WAS CALIBRATED USING THE REFERENCE JIS C1602 (1995) FOR THERMOCOUPLES AND JIS C1606 (1989) FOR METAL SHEATED RESISTANCE THERMOMETER, SENSOR.

REFERENCE EQUIPMENT DETAIL

EQUIPMENT USED	CALIBRATION DATE	DUE DATE	TRACEABILITY
THERMOMETER WITH THERMOCOUPLE (SM21962547)	03 DEC 2021	03 DEC 2022	SENDA MAHIR (SMSB)

QC TECH SERVICES TESTING EQUIPMENT FOR THE CONSTRUCTION INDUSTRY PAGE 1 OF 2

CALIBRATION FOR STANDART WEIGHT

QC TECH SERVICES (SA0237839-W)
NO 23-G, JALAN UTARID C US/C, SEKSYEN US, 40150 SHAH ALAM, SELANGOR.

CERTIFICATE OF CALIBRATION

CERTIFICATE NUMBER: QC - 2764 - 21
CALIBRATION DATE: 29 JULY 2021
DATE OF ISSUE: 31 JULY 2021
CALIBRATION DUE DATE: 29 JULY 2022

COMPANY NAME & ADDRESS
NORLAN UNITED PREMIX SDN. BHD.
LOT PT 29667, KAWASAN PERINDUSTRIAN,
BATU RAKIT, 21010 KUALA NERUS,
TERENGGANU.

CALIBRATION VENUE: KUALA TERENGGANU
CALIBRATE BY: MOHD FAIRUZ

DETAIL OF INSTRUMENTS

DISCRIPTION	WEIGHING SCALE	CALIBR. RANGE	0 TO 27 KG
MANUFACTURER	BM SERIES	SERIAL NUMBER	2014010073
MODEL	WS-630	TYPE OF EQUIP.	DIGITAL
FULL RANGE	30 KG	ENVIRONMENTAL INFORMATION	
RESOLUTION	0.001 KG	TEMPERATURE	30.1 °C HUMIDITY 52 %R.H.
READABILITY	0.001 KG		

CALIBRATION METHOD
THIS INSTRUMENT WAS CALIBRATED USING THE WORK INSTRUCTION CALIBRATION PROCEDURE WITH REFERENCE TO ASTM E898 : 1993

REFERENCE EQUIPMENT DETAIL

EQUIPMENT USED	CALIBRATION DATE	DUE DATE	TRACEABILITY
STANDART WEIGHT (SST/SA/R/2021E/879)	20 MAY 2021	20 MAY 2022	SIRIM (SST)
(SST/SA/R/2021E/545)	11 MAY 2021	11 MAY 2022	SIRIM (SST)

QC TECH SERVICES TESTING EQUIPMENT FOR THE CONSTRUCTION INDUSTRY PAGE 1 OF 2

CALIBRATION FOR STANDART WEIGHT

QC TECH SERVICES (SA0237839-W)
NO 23-G, JALAN UTARID C US/C, SEKSYEN US, 40150 SHAH ALAM, SELANGOR.

CERTIFICATE OF CALIBRATION

CERTIFICATE NUMBER: QC - 2783 - 21
CALIBRATION DATE: 29 JULY 2021
DATE OF ISSUE: 31 JULY 2021
CALIBRATION DUE DATE: 29 JULY 2022

COMPANY NAME & ADDRESS
NORLAN UNITED PREMIX SDN. BHD.
LOT PT 29667, KAWASAN PERINDUSTRIAN,
BATU RAKIT, 21010 KUALA NERUS,
TERENGGANU.

CALIBRATION VENUE: KUALA TERENGGANU
CALIBRATE BY: MOHD FAIRUZ

DETAIL OF INSTRUMENTS

DISCRIPTION	WEIGHING SCALE	CALIBR. RANGE	0 TO 5000 gram
MANUFACTURER	LVC	SERIAL NUMBER	1506027
MODEL	XY5000J	TYPE OF EQUIP.	DIGITAL
FULL RANGE	5100 gram	ENVIRONMENTAL INFORMATION	
RESOLUTION	0.1 gram	TEMPERATURE	30.0 °C HUMIDITY 52 %R.H.
READABILITY	0.1 gram		

CALIBRATION METHOD
THIS INSTRUMENT WAS CALIBRATED USING THE WORK INSTRUCTION CALIBRATION PROCEDURE WITH REFERENCE TO ASTM E898 : 1993

REFERENCE EQUIPMENT DETAIL

EQUIPMENT USED	CALIBRATION DATE	DUE DATE	TRACEABILITY
STANDART WEIGHT (SST/SA/R/2021E/879)	20 MAY 2021	20 MAY 2022	SIRIM (SST)
(SST/SA/R/2021E/545)	11 MAY 2021	11 MAY 2022	SIRIM (SST)

QC TECH SERVICES TESTING EQUIPMENT FOR THE CONSTRUCTION INDUSTRY PAGE 1 OF 2

CALIBRATION FOR CALIBRATION RING

QC TECH SERVICES (SA0237839-W)
NO 23-G, JALAN UTARIH C US/C, SEKSYEN US, 40150 SHAH ALAM, SELANGOR.

CERTIFICATE OF CALIBRATION

CERTIFICATE NUMBER QC - 2770 - 21
CALIBRATION DATE 29 JULY 2021
DATE OF ISSUE 31 JULY 2021
CALIBRATION DUE DATE 29 JULY 2022

COMPANY NAME & ADDRESS
NORLAN UNITED PREMIX SDN. BHD.
LOT PT 29667, KAWASAN PERINDUSTRIAN,
BATU RAKIT, 21010 KUALA NERUS,
TERENGGANU.

CALIBRATION VENUE KUALA TERENGGANU

DETAIL OF INSTRUMENTS

DISCRIPTION	CLEGG IMPACT SOIL TESTER	CALIBR. RANGE	30 ± 2 I.V.
MANUFACTURER	SDI INSTRUMENT	SERIAL NUMBER	012349
MODEL	CST/882	TYPE OF EQUIP.	DIGITAL
FULL RANGE	100 LV		
RESOLUTION	1 LV		
READABILITY	1 LV		

ENVIRONMENTAL INFORMATION
TEMPERATURE 30.2°C HUMIDITY 53 %R.H.

CALIBRATION METHOD
THIS INSTRUMENT WAS CALIBRATED USING THE OPERATING PROCEDURE OF THE INSTRUMENT
WITH REFERENCE TO A CALIBRATION RUBBER TEST RING

REFERENCE EQUIPMENT DETAIL
EQUIPMENT
CALIBRATION RING

QC TECH SERVICES TESTING EQUIPMENT FOR THE CONSTRUCTION INDUSTRY

KUALITI INDUSTRI PENURAPAN JALAN

JKR
JABATAN KERJA RAYA
MALAYSIA

Sijil Penyertaan
Disahkan
MOHD RAZALI ISMAIL

Telah Menghadiri
FORUM KUALITI INDUSTRI PENURAPAN JALAN

Anjuran Bersama
ROADCARE (M) SDN. BHD.
SELIA SELENGGARA SELATAN SDN. BHD.
BELATI WANGSA (M) SDN. BHD.
KUMPULAN IKRAM SDN. BHD.

13 Disember 2011
Putra World Trade Centre (PWTC), Kuala Lumpur

Y. BHG. DATO' Ir. HJ. MOHD NOOR BIN YAACOB
Ketua Pengarah Kerja Raya Malaysia

iTiDi **ROADCARE (M) SDN BHD** **SELIA group** **BELATI group**

KUALITI PENURAPAN JALAN

JKR
JABATAN KERJA RAYA
MALAYSIA

Sijil Penyertaan
Disahkan
MOHD RAZALI BIN ISMAIL

Dari
HAMPARAN PREMIX SDN. BHD.

Telah menghadiri dan lulus

KURSUS KUALITI DALAM KERJA PENURAPAN JALAN
9 - 12 JANUARI 2012

Di
INSTITUT LATIHAN & PEMBANGUNAN
INFRASTRUKTUR IKRAM

DATO' Ir. HJ. HAMIZAN BIN MOHD INZAN
Pegawai
Bahagian Senggara Fasiliti Jalan,
Ibu Pejabat JKR Malaysia,
Kuala Lumpur

Tarikh: 12 Januari 2012

KUALITI PENURAPAN JALAN

JKR
JABATAN KERJA RAYA
NEGERI SELANGOR DARUL EHSAN

Sijil Kehadiran
Dengan ini disahkan bahawa
MOHD FALIHTEEN BIN SAPIIN
(IKRAM Skills Retraining Academy.)

Telah Mengikuti Dengan Jayanya

KURSUS KUALITI DALAM KERJA PENURAPAN JALAN BAGI
KERAJAAN NEGERI SELANGOR SIRI 10 SESI 9/2015

Pada
09 hingga 12 Mei 2015

Keputusan :

Skala Pemarkahan Keputusan	Cemerlang (≥80%)	Baik (60% - 79%)	Memuaskan (40% - 59%)	Hadir (≤ 39%)
	✓			

DATO' Ir. HJ. HAMIZAN BIN MOHD INZAN
Pegawai
Bahagian Senggara Fasiliti Jalan,
Ibu Pejabat JKR Malaysia,
Kuala Lumpur

PAVER



DRUM ROLLER



ROAD ROLLER



ROAD MILLING



SKID STEER LOADER



WATER TANK TRUCK



TYRE ROLLER



OTHER VEHICLES



PHOTOS



PHOTOS



PHOTOS



THANK YOU

NORLAN UNITED PREMIX SDN BHD

Headquarters :

No.4, Tingkat SATU, WISMA ARMON,
Jalan Kamaruddin, 20400 Kuala
Terengganu,
Terengganu, Malaysia.
Email : ahtnucsb@gmail.com

Site Plant :

Lot PT 29667,
Kawasan Perindustrian Batu Rakit,
21030 Kuala Nerus,
Terengganu Darul Iman
Email : norlanpremix@gmail.com

"THE ROAD TO SUCCESS IS ALWAYS UNDER CONSTRUCTION"